FEDERAL COMMUNICATIONS COMMISSION 445 12th Street, S.W.

WASHINGTON DC 20554

MEDIA BUREAU AUDIO DIVISION TECHNICAL PROCESSING GROUP APPLICATION STATUS: (202) 418-2730 HOME PAGE: WWW.FCC.GOV/MB/AUDIO

-72009

PROCESSING ENGINEER: ROBERT GATES TELEPHONE: (202) 418-0986 FACSIMILE: (202) 418-1410 MAIL STOP: 1800B3

INTERNET ADDRESS: Robert.Gates@fcc.gov

Great Eastern Radio, LLC 35 South Main Street Suite 300 Hanover, NH 03755

> In re: W265AT, Springfield, VT BPFT-20090615ADI Facility ID # 46339

Dear Applicant:

This refers to: (1) the above-captioned application for W265AT, Springfield, Vermont.

An engineering study has revealed the application is a major change application pursuant to 47 C.F.R. § 74.1233(a)(1). Specifically, the Section states that "a major change is... any change in antenna location where the station would not continue to provide 1 mV/m service to some portion of its previously authorized 1 mV/m service area." The proposed service area would not continue to provide service to some portion BLFT-20090609AAL service area. Because major change applications are not being accepted for filing, we dismiss the application.

Secondly, the engineering study has revealed the application violates 47 C.F.R. § 74.1204(a) with respect to W265AM, Norwich West Lebanon, Vermont (BLFT19881014TB). Section 74.1204(a) states that an application for a FM translator station will not be accepted if the proposed operation would involve prohibited overlap of predicted field strength contours with any other authorized station. The proposed 40 dBu interference contour would overlap the 60 dBu protected contour of W265AM. The application failed to discuss this violation.


In light of the above, the application BPFT-20090615ADI filed by Great Eastern Radio, LLC unacceptable for filing pursuant to 47 C.F.R. § 73.3566(a) and IS HEREBY DISMISSED. This action is taken pursuant to 47 C.F.R. § 0.283.

Sincerely,

James D. Bradshaw

Deputy Chief **Audio Division** Media Bureau

CC: Robert Smith



THE FOLLOWING IS A LIST OF THE DATA WHICH APPEARS ON THE ABOVE MAP

BOTTOM LATITUDE: 43.10 TOP LATITUDE: 43.64 LEFT LONGITUDE: -72.72 RIGHT LONGITUDE: -72.00

MAP: ENLARGED CONUS MAP PROJECTION: Lambert Equal-area CENTER LAT: 43.37 LONG: -72.36 GRID SPACING: 0.50

KILOMETERS/INCH = 9.90

PLOT MADE ON: 19 June, 2009 10:10 HOURS

call	serv	city,state	application no.	contour	chan	===== erp	haat	rcamsl	coverage area	==== A1
W265AT	FX	SPRINGFIELD,VT CLAREMONT NH	BLFT-20090609AAL	60.0 dBu (50,50)	265D 265D	0.125 0.013	-31.5 321.3	230.0 632.0	42.3 sq km 84.9 sa km	11 0

 $No\ topographic\ data\ is\ available\ for\ this\ location.$

A1 - Number of radials where free space equation was used for field strength calculations.

A7 - Number of radials where a HAAT less than 30 meters was adjusted to 30 meters.



THE FOLLOWING IS A LIST OF THE DATA WHICH APPEARS ON THE ABOVE MAP

BOTTOM LATITUDE: 43.12 TOP LATITUDE: 43.84 LEFT LONGITUDE: -72.72 RIGHT LONGITUDE: -71.78

MAP: ENLARGED CONUS MAP PROJECTION: Lambert Equal-area CENTER LAT: 43.48 LONG: -72.25 GRID SPACING: 0.50

KILOMETERS / INCH = 13.03

PLOT MADE ON: 19 June, 2009 10:12 HOURS

=======	=====			==========	=====	=====	=====			====
call	serv	city,state	application no.	contour	chan	erp	haat	rcamsl	coverage area	<i>A1</i>
W265AT	FX	CLAREMONT,NH	BPFT-20090615ADI	40.0 dBu (50,10)	265D	0.013	321.3	632.0	1174.6 sq km	0
W265AM	FX	NORWICH WEST LEB, VT	BLFT-19881014TB	60.0 dBu (50,50)	265D	0.005	109.0	378.0	83.7 sq km	0

No topographic data is available for this location.

A1 - Number of radials where free space equation was used for field strength calculations.

A7 - Number of radials where a HAAT less than 30 meters was adjusted to 30 meters.